ELSEVIER

Journal of Organometallic Chemistry 587 (1999) 315–317

Journal of Organometallic Chemistry

Contents of Volume 587

Regular Papers

Palladium- and platinum-catalyzed reactions of benzo[1,2:4,5]bis(1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene) with alkenes
A. Naka, K. Koo Lee, K. Yoshizawa, T. Yamabe, M. Ishikawa 1

Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity
W. Palitzsch, C. Pietzsch, M. Puttnat, K. Jacob, K. Merzweiler, P. Zanello, A. Cinquantini, M. Fontani, G. Roewer 9

Metal complexes based on monosaccharide bicyclophosphites as new available chiral coordination systems
E.E. Nifantyev, M.P. Koroteev, A.M. Koroteev, V.K. Belsky, A.I. Stash, M.Y. Antipin, K.A. Lysenko, L. Cao 18

The synthesis, characterization and properties of alkyl complexes of the type $[Cp^*Fe(CO)_2R]$ ($Cp^* = \eta^5$-$C_5(CH_3)_5$; $R = n$-C_3H_7 to n-$C_{12}H_{25}$); the X-ray crystal and molecular structure of $[Cp^*Fe(CO)_2(n\text{-}C_5H_{11})]$ and molecular orbital and density functional calculations on the β-hydride elimination of $[CpFe(CO)_2(CH_2CH_3)]$
R.O. Hill, C.F. Marais, J.R. Moss, K.J. Naidoo 28

Aminosilane as a coupling agent for cyclopentadienyl ligands on silica
H. Juvaste, E.I. Iiskola, T.T. Pakkanen 38

The synthesis of binuclear half-open 1,1′-biferrocene: redox behavior and an interpretation of the ^{57}Fe Mössbauer data
T.-Y. Dong, C.-K. Chang, C.-H. Cheng 46

Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups
Y. Yamamoto, K. Kawasaki, S. Nishimura 49

Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene
A.S. Abu-Surrah, U. Thewalt, B. Rieger 58

Synthesis of new arylcarboranes as precursors for oligomers
B. Förster, J. Bertran, F. Teixidor, C. Viñas 67

1,2-Stereoinduction in the asymmetric hydrostannation of (*E*)- and (*Z*)-trisubstituted ethylenes with (−)-menthyldimethyltin hydride
S.D. Mandolesi, L.C. Koll, J.C. Podestá 74

Pericyclic organometallic reactions. The reactions of (cht)$Fe(CO)_2L$ ($L = CO$, $P(OPh)_3$, PPh_3) and (carbomethoxy)maleic anhydride revisited
Z. Goldschmidt, E. Genizi, H.E. Gottlieb 81

Synthesis and crystal structure of trimeric sodium 2,2,6,6-tetramethylpiperidide (NaTMP)
B. Gehrhus, P.H. Hitchcock, A.R. Kennedy, M.F. Lappert, R.E. Mulvey, P.J.A. Rodger 88

Synthesis and characterisation of *cis* and *trans* isomers of the mixed chalcogen clusters $Cp_2Mo_2Fe_2(CO)_8(\mu_3\text{-}S)(\mu_3\text{-}Se)$ and $Cp_2Mo_2Fe_2(CO)_8(\mu_3\text{-}S)(\mu_3\text{-}Te)$
P. Mathur, S. Chatterjee, S. Ghose, M.F. Mahon 93

The structûre of triphenyl(1-phenyl-5-mercapto-*1H*-1,2,3,4-tetrazolato)lead(IV): towards the first example of a π-coordinated metallotetrazole?
M. Barret, S. Bhandari, M.F. Mahon, K.C. Molloy 101

Neutral and cationic 1,4-diphospha-2-rhoda-3-thia-[4]-ferrocenophane
R. Broussier, M. Laly, P. Perron, B. Gautheron, I.E. Nifant'ev, J.A.K. Howard, L.G. Kuz'mina, P. Kalck 104

Tris(trimethylsilyl)siloxides of gadolinium and lanthanum: synthesis, structure and some properties
A.N. Kornev, T.A. Chesnokova, E.V. Zhezlova, L.N. Zakharov, G.K. Fukin, Y.A. Kursky, G.A. Domrachev, P.D. Lickiss 113

Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene
F.-W. Grevels, A. Kuran, S. Özkar, M. Zora 122

Synthesis and characterization of d^2-molybdenum imido complexes containing coordinated dithio-ligands. MO rationalization of the preferential isomer formation of $Mo(N\text{-}2,4,6\text{-}Me_3C_6H_2)(S_2COMe)Cl(PMe_3)_2$
F. Montilla, A. Pastor, A. Galindo 127

A novel trinuclear *n*-butyltin cluster incorporating three ferrocene carboxylate substituents
K.C. Kumara Swamy, S. Nagabrahmanandachari, K. Raghuraman 132

Rhodium cationic complexes using macrocyclic diphosphines as chiral ligands: Application in asymmetric hydroformylation
O. Pàmies, G. Net, M. Widhalm, A. Ruiz, C. Claver 136

An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides
K. Ono, H. Ishizuka, T. Nakano 144

Conference Calendar 149

Regular Papers

Intramolecular C–H···O hydrogen bond controlling the conformation of heterocycles: synthesis, structure and catalytic reactivity of aluminum aryloxides
C.-H. Lin, L.-F. Yan, F.-C. Wang, Y.-L. Sun, C.-C. Lin 151

Trifluoromethylthiocopper-mediated oxirane ring opening
S. Munavalli, D.K. Rohrbaugh, D.I. Rossman, L.R. McMahon, H.D. Durst 160

Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P]
C. Lee, Y. Kang, S. Ook Kang, J. Ko, J. Whan Yoo, M. Hwan Cho 165

Reactivity of $[Et_4N]_2[MeSb\{Fe(CO)_4\}_3]$ toward HOAc and $[Cu(MeCN)_4]BF_4$: formation of $[Et_4N][Me(OAc)Sb\{Fe(CO)_4\}_2]$ and $[MeSb\{Fe(CO)_4\}\{Fe_2(CO)_8\}]$
M. Shieh, L.-F. Ho, J.-J. Cherng, C.-H. Ueng, S.-M. Peng, G.-H. Lee 176

Synthesis of bis(1,2,3-substituted cyclopentadienyl)zirconium dichloride derivatives and their use in ethylene polymerization
B. Yeoul Lee, J. Wook Han, Y. Keun Chung, S.W. Lee 181

Is the unconventional H···H bond more common than expected? Synthesis and X-ray structure of monomeric $[Ru(CO)H_2(PPh_3)_3]$
P.C. Junk, J.W. Steed 191

Trimethylplatinum hydroxy–fluorides
R.J. Cross, M. Haupt, D.S. Rycroft, J.M. Winfield 195

The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers
R. Oilunkaniemi, R.S. Laitinen, M. Ahlgrén 200

Synthesis and X-ray crystal structures of mixed sandwich Group 8 cyclopentadienyl complexes containing crown trithioether ligands
G.J. Grant, T. Salupo-Bryant, L.A. Holt, D.Y. Morrissey, M.J. Gray, J.D. Zubkowski, E.J. Valente, L.F. Mehne 207

Influence of the steric effect on the conformation of stannocanes. The synthesis and X-ray structure of $X(CH_2CH_2S)_2Sn(n\text{-}Bu)Cl$ (X = S, O)
P. García y García, A.-M. Cotero-Villegas, M. López-Cardoso, V. García-Montalvo, R.-A. Toscano, A. Gómez-Ortiz, R. Ferrari-Zijlstra, R. Cea-Olivares 215

Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands
L.F. Veiros 221

Interplay of ketenyl and nitrile ligands on d^6-transition metal centres. Acetonitrile as an end-on (two-electron) and a side-on (four-electron) ligand
H. Wadepohl, U. Arnold, H. Pritzkow, M.J. Calhorda, L.F. Veiros 233

Selective dynamics of [Rh(1,5-COD)(bidentate)]BF_4 complexes via NMR exchange spectroscopy
M. Valentini, K. Selvakumar, M. Wörle, P.S. Pregosin 244

16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance
M. Herberhold, G.-X. Jin, H. Yan, W. Milius, B. Wrackmeyer 252

Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands
W. Heins, P. Stößel, H.A. Mayer, R. Fawzi, M. Steimann 258

Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents
F. Baumann, E. Dormann, Y. Ehleiter, W. Kaim, J. Kärcher, M. Kelemen, R. Krammer, D. Saurenz, D. Stalke, C. Wachter, G. Wolmershäuser, H. Sitzmann 267

Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen
H. Lang, A. del Villar, G. Rheinwald 284

Syntheses and structures of ruthenium(II) complexes bearing hybrid phosphine-thioether ligands, $Me_2PCH_2CH_2SR$
N. Taguchi, K. Kashiwabara, K. Nakajima, H. Kawaguchi, K. Tatsumi 290

Note

Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonylbis(triphenylphosphine)ruthenium
J.K. Paulasaari, N. Moiseeva, R. Bau, W.P. Weber 299

Conference Calendar 305
Author Index of Volume 587 307
Subject Index of Volume 587 309
Contents of Volume 587 315